



Your Partner
**For Animal Well-Being
and Performance**

Complementary Feed Solutions

The importance of dedicated complementary feed programs

Kersia's **COMPLEMENTARY FEED** range supports farmers to increase the **WELL-BEING** and the **PERFORMANCE** of their animals.

Our product range offers complementary feed products dedicated to different stages in the lifecycle of animals to increase vitality and provide nutrient supply to support immunity from the beginning and during stress times, support hepatic and digestive functions and growth.

Kersia offers a solution based program aimed at:

- Growth Performance
- Digestive Well-being
- Overall Well-being
- Challenging Period
- Complementary Feed
- Solutions for all poultry and livestock

**Growth
Performance**

**Digestive
Well-being**

**Challenging
Period**

**Overall
Well-being**



Vitamins, Minerals & Electrolytes



A complementary feed to boost Vitamin D3 levels in poultry



D3 SUPER BOOST

- Aid bone strength, growth and development
- Essential for rapidly growing birds
- Improve eggshell quality

Recommended Usage

Broilers: 100ml of D3 Super Boost per 1000 litres of drinking water

From 7 days of age for 3 days and from 21 days of age for 3 days. Vitamin D3 can also be deployed again for birds being taken to the higher weight profiles (49 days of age)

Layers: 100ml of D3 Super Boost per 1000 litres of drinking water

From around 55 weeks of age for 3-5 days every couple of weeks, or following peak of production. Also to be given if egg shell quality is seen to be compromised

Replace treated water after 24 hours with newly treated water or fresh water



A concentrated multivitamin, trace element, electrolyte and amino acid complementary feed - with the added benefits of L-carnitine



POULTRY TONIC PLUS

- Can be used throughout the life cycle
- Suitable for breeders, broilers and layers
- Improves recovery after stress or disease challenge
- Helps promote feed intake
- Assists in maintaining a healthy immune system

Recommended Usage

Chicks / Poult: Apply from 1-5 days old
1 litre of Poultry Tonic Plus per 500 litres of clean drinking water

Breeders: Apply for 3 days prior to introduction of breeder feed peak production 3 days prior to vaccination/drug treatment

Layers: Apply for 2 days every 7-14 days
For water dilution use only. Diluted product should be used within 24 hours

Broilers: Apply 3 days post vaccination or other periods of stress for 1-5 days

Vitamins, Minerals & Electrolytes



Specifically formulated liquid complementary feed to manage heat stress situations in poultry



ENERGY



VITAMINS



HYDRATION



HEAT STRESS



WELL-BEING

VITACOOOL

- Ideal for use during periods of hot weather
- Stimulates water consumption
- Supplies essential body electrolytes and energy
- Contains organic acids to acidify the water
- Contains high levels of Vitamin C to supplement

Recommended Usage

Dilute 1 litre of Vitacool in 1000 litres of clean drinking water

Feed during periods of stress

Feed for 3 days following transportation, prior to transfer, during thinning and during disease challenge and periods of excess stress

For young growing birds, treat water for the first 3 days and as and when required



A liquid nutritional aid to replace body salts in poultry



ENERGY



HYDRATION



HEAT STRESS



WELL-BEING

SOLULYTE

- Provides rehydration and energy at times of stress
- Use at strategic periods to stimulate water consumption and supply essential body salts
- Concentrated solution
- Contains a high concentration of sodium, potassium and magnesium salts in a citric acid base

Recommended Usage

Dilute 1 litre of Solulyte in 500 litres of clean water

3 days prior to movement from rearing farms

3 days on arrival at laying farms

3 days post vaccination and drug treatment

3 days following transportation

During periods of heat stress

At all times of disease challenge and other stress factors

Vitamins, Minerals & Electrolytes



Complementary feed for all types and ages of poultry



SPECTRUM

- Reduces the effects of stress when normal nutrient absorption can be disrupted
- Boosts vitamin levels during periods of environmental stress
- Aids in the preparation for the onset of lay, when birds are undergoing massive physiological change
- Ensures the maintenance of peak growth and production during times of maximum nutrient demand

Recommended Usage

Dilute 75ml of Spectrum in 200 litres of clean water

Use day old to 5 days

3 days prior to vaccination/drug treatment

3-5 days during diet programme change

At times of disease challenge, peak production, heat stress and other stress factors.



Liquid complementary feed for poultry



HYDRALYTE

- Aids rehydration and replaces essential electrolytes
- Ideal for poultry during time of stress and challenges
- Aids rehydration which encourages birds to drink
- Contains essential potassium, sodium and magnesium salts in a citric acid blend

Recommended Usage:

Dilute 1 litre of Hydralyte in 1000 litres of clean drinking water at the following intervals:

3 days prior to movement from rearing farms

3 days on arrival at laying farms

3 days post vaccination

3 days following transportation

During periods of heat stress

At all times of disease challenge and other stress factors

Botanicals / Essential Oils



AVISTIM

- Supports poultry during critical periods, including flock start, vaccinations, feed transition and thinning
- Essential oils to help re-launch appetite
- Monopropylene Glycol for a rapid energy intake
- Boosted with Vitamin E, B12 and selenium
- Contains prebiotics to aid digestive balance

Recommended Usage

Dilute 250ml of Avistim in 1000 litre of clean drinking water

Administration via the drinking water over a period of up to 5 days

Especially useful at flock start, vaccination, feed transition, thinning and other times of stress

A liquid complementary feed for poultry



HEPAFLUSH

- Specially formulated to support hepatic and digestive functions
- Boosts appetite and energy levels
- Contains sorbitol, plant extracts, B Vitamins, essential oils, betain and L-carnitine

Recommended usage

Easy to use – can be administered directly in mouth, added to feed or in water.

Swine/Pigs: Can be easily distributed in the feed or in water

Swine: 20 ml/swine/day during 5 running days (in water or in feed)

Pigs: 10 ml/day/100 kg of liveweight during 5 running days (in water or in feed)

Poultry: Can be easily distributed in drinking water 1 litre/1000 litres of water during 3 running days

Ruminants: Can be easily distributed directly in the mouth with a dosing gun or in the feed 50ml/day during 5 running days

Liquid complementary feed for poultry, ruminants, and swine. To be used during challenging feed periods or during feed transitions



Botanicals / Essential Oils



A complementary feed which is recommended to support recovery and relaunch of appetite throughout critical periods and sanitary challenges



BIOBRON 20

- Can be used in conjunction with medical treatments such as antibiotics
- A blend of organic acids and salts to relaunch appetite
- Vitamin C to protect against oxidative stress
- Lemon, oregano, rosemary, for digestive health
- Eucalyptus and scotch pine for respiratory health

Recommended usage

Easy to use liquid - can be administered directly in mouth, added to feed or in water

All species: 20 ml/day per 100kg of live weight for 5 days

Swine: Post-weaning: 30 to 40 ml/day per 100kg liveweight for 5 days

For fattening and sows: 20ml/day per 100kg liveweight for 5 days

Horses: 50ml 2 times a day for 5 to 7 days

PIGSTART PLUS



A complementary feed which is recommended to support newborn piglets



- Fatty acids, sugars, proteins for rapid and highly available energy and nutrients supply
- Immuno-globulins and egg products to help to strengthen immune system
- Lactic bacteria supports implementation of positive flora in digestive tract
- SOD (Super Oxyde Dismutase) a powerful antioxidation stimulant
- Vitamins and selenium supports vitality and development

Recommended usage

Oral paste, ready for use and easy to use with dosing bottle

Administer one dose of 2ml (1 pump) in piglet's mouth as soon as possible after birth
If necessary, a second dose can be given the day after or in the following days

Feed Supplements



A calming supplement for managing periods of stress and nervousity



VITAZEN PLUS

- Potassium and magnesium supplement to calm nervous sows when showing signs such as tail biting and gathering in stall
- Contains potassium that is crucial for proper muscle function, especially in movement and digestion, it is also vital for nerve impulse transmissions
- Contains magnesium to help regulate proper nervous system functions

Recommended Use

Easy to use liquid

Administered before collection for 2 days

Administered during stress periods for 2-5 days

Collection: 20ml / pig for 2 days

Piglets: 5ml / piglet for 5 days

Sows: 40ml / pig for 2-5 days



A digestive balance aid to help increased feed consumption for piglets



TRIACTINE

- Supports digestion and feed consumption from one week, around weaning and during feed transition
- Contains a group of beneficial bacteria (lactic acid) to support and settle flora in the digestive tract
- Maintains a healthy balance of the gut microbes which helps with optimal digestion and nutrient absorption
- Contains prebiotics and essential oils for antibacterial and antioxidant properties

Recommended Use

Spread on nests / plates / troughs in farrowing pen for 5-10 days

When weaning, mix in feed for 5-10 days

Farrowing pen: 5-10g / day

Around weaning: 10-20g / day

Feed deliver: 8-10kg / T feed



Growth

Well-being

Nutrient supply



Performance

Metabolism

Vitality

Calcium
Phytogenics
Antioxidants
Yeast Extracts
Vitamins



TRIED • TESTED • TRUSTED





www.kersia.uk